Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1.96
R31Fso
Cop. 2

WATER SUPPLY OUTLOOK FOR OREGON

U. S. DEPARTMENT of AGRICULTURE ★ SOIL CONSERVATION SERVICE

Collaborating with

OREGON STATE UNIVERSITY and STATE ENGINEER of OREGON

AS OF
APR. 1, 1975

Data included in this report were obtained by the agencies named above in cooperation with Federal, State and private organizations listed inside the back cover of this report.

TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS:

Most of the usable water in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related data sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters at key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

Cover Photo: Cabins near Sacajawea Snow Course in Bridger Mountains, Montana.
SCS PHOTO 1'-P480-15

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 111, 511 N.W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	204 E. 5th. Ave., Room 217, Anchorage, Alaska 99501
Arizona	6029 Federal Building, Phoenix, Arizona 85025
Colorado (N. Mex.)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th. St., Boise, Idaho 83702
Montana	P. O. Box 98, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno Nevada 89505
Oregon	1218 S. W. Washington St., Portland, Oregon 97205
Utah	4012 Federal Bldg., 125 South State St., Salt Lake City, Utah 84138
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82601

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Forests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia

U.S. DEPARTMENT of AGRICULTURE
CONSERVATION OF WATER BEGINS WITH THE SNOW SURVEY
SOIL CONSERVATION SERVICE

WATER SUPPLY OUTLOOK FOR OREGON

and

FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued

APRIL 8, 1975

Issued by

KENNETH E. GRANT
ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON, D C

Released by

J. W. MITCHELL
STATE CONSERVATIONIST
SOIL CONSERVATION SERVICE
PORTLAND OREGON

In Cooperation with

G. BURTON WOOD
DIRECTOR
OREGON AGRICULTURAL
EXPERIMENT STATION

CHRIS L. WHEELER
STATE ENGINEER
STATE OF OREGON

Report prepared by

TOMMY A. GEORGE, Snow Survey Supervisor
and
JAMES W. HAGLUND, Assistant Snow Survey Supervisor
SOIL CONSERVATION SERVICE
1218 S W WASHINGTON ST.
PORTLAND OREGON 97205

TABLE OF CONTENTS

PAGE

WATER SUPPLY PROSPECTS FOR OREGON.....(MAP)..... FACING PAGE 1

WATER SUPPLY OUTLOOK FOR OREGON..... 1

DETAILED WATER SUPPLY OUTLOOK BY MAJOR WATERSHED AREAS

OWYHEE, MALHEUR..... AREA 1

BURNT, POWDER, PINE, GRANDE RONDE, IMNAHA..... AREA 2

UMATILLA, WALLA WALLA, WILLOW, ROCK, LOWER JOHN DAY..... AREA 3

UPPER JOHN DAY..... AREA 4

UPPER DESCHUTES, CROOKED..... AREA 5

HOOD, MILE CREEKS, LOWER DESCHUTES..... AREA 6

LOWER COLUMBIA..... AREA 7

WILLAMETTE..... AREA 8

ROGUE, UMPQUA..... AREA 9

KLAMATH..... AREA 10

LAKE COUNTY, GOOSE LAKE..... AREA 11

HARNEY BASIN..... AREA 12

BASIC DATA SUPPLEMENTS

I SNOW
II SOIL MOISTURE
III PRECIPITATION

MAP AND INDEX OF OREGON SNOW COURSES.....(MAP)

LIST OF COOPERATORS.....INSIDE BACK COVER



WATERSHED AREA LOCATIONS

WATER SUPPLY PROSPECTS FOR OREGON

Spring and Summer Period

APRIL 1, 1975

WATER SUPPLY PROSPECTS

- Much Above Average
- Above Average
- Near Average
- Below Average
- Much Below Average
- Not Forecast

Lower Columbia

Willamette

Hood, Mile Creeks, Lower Deschutes

Umatilla, Walla Walla, Willow, Rock, Lower John Day

Burnt, Powder, Pine, Grande Ronde, Imnaha

Upper John Day

Upper Deschutes, Crooked

Lake County, Goose Lake

Rogue, Umpqua

Klamath

Harney Basin

Owyhee, Malheur

SCALE IN MILES 20 0 20 40 60

WATER SUPPLY OUTLOOK for OREGON

APRIL 1, 1975

Excellent water supplies are forecast for much of Oregon this coming summer. The snowpack continued to build during March and now generally ranges from 135 to 210% of average. Precipitation was mostly 110 to 190% of normal and reservoir storage remains good.

SNOWPACK

The mountain snowpack continued to build at above normal amounts during March. The snow cover is 170% to 210% of normal along the state's southern tier of counties. The rest of the state has a snowpack ranging from a low of 110% around Mt. Hood up to 150 to 160% elsewhere.

PRECIPITATION

The main storm track continued to pass over southern Oregon this past month. Precipitation was 145 to 190% of normal in Harney, Lake, Klamath, Malheur, Jackson and Josephine Counties. The rest of the state received above average amounts of rainfall except for the Umatilla basin where amounts were 90% of normal. Winter precipitation for the winter November-March period was 85 to 115% of average.

RESERVOIR STORAGE

Stored water supplies are good for April 1. Twenty-five major irrigation reservoirs are storing 2,570,000 acre feet of water. This is 115% of average.

STREAMFLOW

Streamflow was generally above average during March except in Lake and Harney counties where it was below normal due to lack of snowmelt. Forecasts of prospective spring and

continued on next page -

continued--

summer streamflow range from 100 to 150% in the state except for several streams in southern Oregon such as the inflows to Owyhee, Drews and Gerber reservoirs which are near 200% of normal.

This report contains data furnished by the Oregon State Engineer, U. S. Geological Survey, NOAA National Weather Service, and other cooperators.

WATER SUPPLY OUTLOOK
OWYHEE, MALHEUR WATERSHEDS
OREGON
as of
APRIL 1, 1975

GENERAL OUTLOOK

EXCELLENT WATER SUPPLIES ARE FORECAST FOR THE OWYHEE AND MALHEUR WATERSHEDS. ABOVE AVERAGE PRECIPITATION AND COOLER TEMPERATURES DURING MARCH INCREASED THE SNOWPACK TO APPROXIMATELY TWICE THE NORMAL AMOUNT FOR APRIL 1. ALL RESERVOIRS SHOULD FILL AND SPRING AND SUMMER STREAMFLOW WILL BE EXCELLENT.

WATER SUPPLY OUTLOOK

Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Boulder Creek	Excellent	Average
Bully Creek	Excellent	Excellent
Cow Creek	Excellent	Average
Jordan Creek	Excellent	Average
Jordan Valley Irrig. Dist.	Excellent	Excellent
McDermitt Creek	Excellent	Average
Oregon Canyon Creek	Excellent	Average
Owyhee Project	Excellent	Excellent
Succor Creek	Excellent	Average
Tenmile Creek	Excellent	Average
Vale-Oregon Irrig. Dist.	Excellent	Excellent
Warmsprings Irrig. Dist.	Excellent	Excellent
Willow Creek (Reservoired)	Excellent	Excellent



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average [i]
Bully Creek at Warmsprings	28	214	March-May		13.1
Malheur near Drewsey	114	160	April-July	135	71
	119	164	April-Sept.	137	72
Malheur, North Fork at Beulah [d]	76	129	April-July	106	59
	80	125	April-Sept.	111	64
Owyhee Reservoir net Inflow [k]	618	200	April-July	385	309
	664	200	April-Sept.	408	332

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
Owyhee near Rome	1000	June 28	May 24
	250	July 2	June 20

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR	Usable Capacity	Usable Storage This Year	Usable Storage Last Year	Usable Storage Average
Antelope	70.0	27.5		28.9 [m]
Beulah Reservoir	60.0	42.7	58.4	42.9
Bully Creek	30.0	27.1	27.8	22.3 [m]
Owyhee	715.0	648.7	698.3	509.2
Warmsprings	191.0	152.9	141.3	119.1

SOIL MOISTURE

RIVER BASIN	Number of Stations	THIS YEAR'S MOISTURE as PERCENT OF: Last Year	THIS YEAR'S MOISTURE as PERCENT OF: Average [i]
Malheur River	2	76	81
Owyhee River	3	78	81

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	THIS YEAR'S SNOW WATER AS PERCENT OF Average [i]
Jordan Creek	3	125	168
Malheur River	5	130	186
Owyhee River	5	180	212

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (l) Ground measurement. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK

BURNT, POWDER, PINE, GRANDE RONDE, IMNAHA WATERSHEDS

OREGON

as of

APRIL 1, 1975

GENERAL OUTLOOK

ABOVE AVERAGE WATER SUPPLIES ARE FORECAST FOR NORTHEASTERN OREGON. THE SNOWPACK VARIES FROM 120% TO 150% OF AVERAGE. MARCH PRECIPITATION WAS 14% ABOVE NORMAL AND THE SOIL MOISTURE IS NOW ABOVE NORMAL. RESERVOIR STORAGE WILL BE GOOD AND ALL STREAMS ARE FORECAST ABOVE NORMAL.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Alder Slope	Average	Average
Baker Valley	Excellent	Average
Big Creek	Excellent	Average
Clover Cr. (nr. N. Powder)	Excellent	Average
Cove	Excellent	Average
Durkee	Excellent	Excellent
Eagle Valley	Average	Average
Elgin	Excellent	Excellent
Enterprise-Joseph	Average	Average
Hereford-Bridgeport	Excellent	Excellent
Imnaha River	Average	Average
LaGrande-Island City	Excellent	Excellent
Lostine-Wallowa	Average	Average
No. Powder River-Wolf Creek	Excellent	Excellent
Pine Valley	Average	Average
Powder River-Elk Creek	Excellent	Average
Summerville	Excellent	Excellent
Sumpter Valley	Excellent	Average
Union-Hot Lake	Excellent	Average
Unity	Excellent	Excellent



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average *i*
Bear near Wallowa	76	115	April-Sept.	98	66
Burnt near Hereford[d]	48	150	April-July	69	32
	50	152	April-Sept.	71	33
Catherine near Union	80	123	April-Sept.	98	65
Eagle Creek abv. Skull Creek	188	107	April-July	284	175
	205	108	April-Sept.	308	190
Grande Ronde at La Grande	191	124	April-July	236	154
	206	130	April-Sept.	240	158
Hurricane near Joseph	49	104	April-Sept.		47
Imnaha at Imnaha	330	107	April-Sept.	460	307
Lostine near Lostine	131	105	April-Sept.	173	125
Powder near Sumpter	71	129	April-July		55
	72	128	April-Sept.		56
Wallowa, East Fork near Joseph[d]	9.8	106	April-July	11.8	9.2
	12.0	105	April-Sept.	14.9	11.4

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR	Usable Capacity	Usable Storage This Year	Usable Storage Last Year	Usable Storage Average *i*
Thief Valley	17.4	17.4	17.4	17.4[m]
Unity	25.2	12.3	24.5	19.5
Wallowa Lake	37.5	27.0	18.0	23.4

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	THIS YEAR'S SNOW WATER AS PERCENT OF Average *i*
Burnt River	4	97	144
Grande Ronde River above La Grande	4	96	146
Powder River	5	94	135
Wallowa, Imnaha, Catherine Creek	6	82	122

SOIL MOISTURE

RIVER BASIN	Number of Stations	THIS YEAR'S MOISTURE as PERCENT OF: Last Year	THIS YEAR'S MOISTURE as PERCENT OF: Average *i*
Burnt, Powder	2	96	105
Grande Ronde, Catherine Creek, Imnaha River	2	86	102

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK

UMATILLA, WALLA WALLA, WILLOW, ROCK, LOWER JOHN DAY WATERSHEDS

OREGON

as of

APRIL 1, 1975

GENERAL OUTLOOK

EXCELLENT WATER SUPPLIES ARE FORECAST FOR THE UMATILLA, WALLA WALLA, WILLOW, ROCK AND LOWER JOHN DAY WATERSHEDS. THE SNOWPACK IS 20% - 40% ABOVE AVERAGE AND RESERVOIR STORAGE IS GOOD. MARCH PRECIPITATION WAS ONLY 87% OF NORMAL AVERAGE. SPRING AND SUMMER STREAMFLOW FORECASTS ARE 10% TO 20% ABOVE NORMAL.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Walla Walla River, No. Fork	Excellent	Average
Walla Walla River, So. Fork	Excellent	Average
Walla Walla River, Main	Excellent	Average
Walla Walla River, Little	Excellent	Average
Couse Creek	Excellent	Average
Dry Creek	Excellent	Average
Pine Creek	Excellent	Average
Umatilla River, Main	Excellent	Average
Wildhorse Creek	Excellent	Average
Umatilla R. (Cold Springs Reservoir)	Average	Average
Umatilla R. (McKay Res.)	Excellent	Average
McKay Creek	Excellent	Average
Birch Creek	Excellent	Average
Butter Creek	Excellent	Average
Willow Creek	Excellent	Average
Rhea Creek	Excellent	Average
Rock Creek (John Day Tributary)	Excellent	Average



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average *i*
Birch Creek at Rieth	21	131	April-July		15.9
Butter Creek near Pine City	8.5	112	April-July		7.6
McKay near Pilot Rock	30	122	April-Sept.		24
Umatilla near Gibbon	77	112	April-July		69
	83	110	April-Sept.		75
Umatilla at Pendleton	160	115	April-July		139
	166	115	April-Sept.		144
Walla Walla, South Fork near Milton	60	113	April-July	86	53
	74	112	April-Sept.	102	66

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
Umatilla at Pendleton	550	June 15	May 22

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR	Usable Capacity	Usable Storage This Year	Usable Storage Last Year	Usable Storage Average *i*
Cold Springs	50.0	49.5	49.5	49.4
McKay	73.8	62.7	65.1	49.2

SOIL MOISTURE

RIVER BASIN	Number of Stations	THIS YEAR'S MOISTURE as PERCENT OF: Last Year	THIS YEAR'S MOISTURE as PERCENT OF: Average *i*
Umatilla, Walla Walla, McKay Creek	2	92	92

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	THIS YEAR'S SNOW WATER AS PERCENT OF Average *i*
McKay Creek	3	88	142
Umatilla River	3	68	138
Walla Walla River	2	62	120

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK
UPPER JOHN DAY WATERSHEDS
OREGON
as of
APRIL 1, 1975

GENERAL OUTLOOK

EXCELLENT WATER SUPPLIES ARE FORECAST FOR THE UPPER JOHN DAY WATERSHEDS. WITH THE SNOWPACK AT 1-1/2 TIMES NORMAL, STREAMFLOW VOLUMES ARE EXPECTED TO BE TEN TO FORTY PERCENT ABOVE AVERAGE. MARCH PRECIPITATION WAS 110% OF NORMAL.

WATER SUPPLY OUTLOOK

Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Beech Creek	Excellent	Average
Beech Creek-Fox-Long Cr.	Excellent	Average
Bridge-Mountain Creeks	Excellent	Average
Camas Creek	Excellent	Average
Cherry Creek	Excellent	Average
Indian-Pine Creeks	Excellent	Average
John Day River, Main Fork	Excellent	Average
John Day River, Mid. Fork	Excellent	Average
John Day River, No. Fork	Excellent	Average
John Day River, So. Fork	Excellent	Average
Monument-Kimberly	Excellent	Average
Strawberry Creek	Excellent	Average



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average *i*
Camas Creek near Ukiah	36	109	April-July		33
	36	109	April-Sept.		33
John Day, Middle Fork at Ritter	147	140	April-July		105
	151	140	April-Sept.		108
John Day, North Fork at Monument	606	115	April-July		525
	627	116	April-Sept.		540
Strawberry near Prairie City	8.8	128	April-July		6.9
	9.1	120	April-Sept.		7.6

SOIL MOISTURE

RIVER BASIN	Number of Stations	THIS YEAR'S MOISTURE as PERCENT OF: Last Year	THIS YEAR'S MOISTURE as PERCENT OF: Average *i*
John Day above Dayville	4	82	87
John Day, North Fork	1	91	100

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	THIS YEAR'S SNOW WATER AS PERCENT OF Average *i*
John Day, North Fork	7	107	142
John Day abv. Dayville	5	118	164

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK

UPPER DESCHUTES, CROOKED WATERSHEDS

OREGON

as of

APRIL 1, 1975

GENERAL OUTLOOK

DESCHUTES AND CROOK COUNTY WATER USERS WILL HAVE ABUNDANT SUPPLIES DURING SPRING AND SUMMER OF 1975. THE SNOWPACK IS 1-1/2 TIMES THE NORMAL AMOUNT. MARCH PRECIPITATION WAS 145% OF NORMAL AND STREAMFLOW VOLUMES ARE FORECAST AT 20-70% ABOVE AVERAGE. MOST STORAGE RESERVOIRS ARE EXPECTED TO FILL THIS SPRING.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Arnold Irrigation Dist.	Excellent	Average
Bear Creek	Average	Average
Beaver Creek	Excellent	Average
Camp Creek	Average	Average
Central Ore. Irrig. Dist.	Excellent	Average
Crooked River	Excellent	Average
Deschutes River	Excellent	Excellent
Hay-Trout Creeks	Average	Average
Lone Pine Irrig. Dist.	Excellent	Excellent
Mill Creek	Average	Average
North Unit Irrig. Dist.	Average	Average
Ochoco Creek	Excellent	Average
Sisters Irrigation Dist.	Excellent	Excellent
Snow Creek Irrig. Dist.	Excellent	Excellent
Squaw Creek Irrig. Dist.	Excellent	Excellent
Swalley Ditch	Excellent	Excellent
Tumalo Project	Excellent	Average
Walker Basin Irrig. Dist.	Excellent	Average



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average [i]
Beaver Creek near Paulina	25	158	April-July		15.8
	25	156	April-Sept.		16.0
Crane Prairie Reservoir total Inflow	115	148	April-July		78
	170	143	April-Sept.		119
Crescent at Crescent Lake [d]	30	163	April-July		18.4
	37	168	April-Sept.		22
Crooked near Post	138	152	April-July		91
	139	153	April-Sept.		91
Deschutes at Benham Falls [d]	440	122	April-July		360
	656	119	April-Sept.		550
Deschutes below Snow Creek	87	139	April-Sept.		62
Deschutes, Little near La Pine [d]	111	152	April-July	143	73
	124	151	April-Sept.	162	82
Ochoco Reservoir net Inflow	30	158	April-Sept.	34	18.8
Odell near Crescent	41	146	April-Sept.		28
Squaw near Sisters	60	120	April-Sept.	71	50
Tumalo near Bend [d]	62	141	April-Sept.	66	44

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
Crane Prairie net Inflow	300	Oct. 31	July 15
Crooked R. near Post	100	June 8	June 1
Deschutes at Bend	1500	Oct. 31	July 1
Little Deschutes near La Pine	400	July 3	June 7
	200	July 31	July 8

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR	Usable Capacity	Usable Storage This Year	Usable Storage Last Year	Usable Storage Average [i]
Crane Prairie	55.3	57.7	41.2	44.8
Crescent Lake	86.9	81.4	82.7	50.4
Ochoco	47.5	30.8	43.8	30.9
Prineville	153.0	124.2	148.8	123.4 [m]
Wickiup	200.0	199.6	185.7	187.8

SOIL MOISTURE

RIVER BASIN	Number of Stations	THIS YEAR'S MOISTURE as PERCENT OF: Last Year	THIS YEAR'S MOISTURE as PERCENT OF: Average [i]
Crooked R., Upper Deschutes River	2	75	79

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	THIS YEAR'S SNOW WATER AS PERCENT OF Average [i]
Crooked, Ochoco	4	132	159
Deschutes abv. Wickiup	3	90	144
Little Deschutes	4	96	147
Tumalo & Squaw Crs.	3	90	150

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK

HOOD, MILE CREEKS, LOWER DESCHUTES WATERSHEDS

OREGON

as of

APRIL 1, 1975

GENERAL OUTLOOK

ABOVE AVERAGE WATER SUPPLIES WILL BE AVAILABLE TO WATER USERS IN HOOD RIVER AND WASCO COUNTIES. THE SNOWPACK RANGES FROM TWELVE PERCENT ABOVE AVERAGE ON THE HOOD RIVER WATERSHED TO NEARLY TWICE THE NORMAL AMOUNT ON THE MILE CREEK WATERSHEDS. SPRING AND SUMMER STREAMFLOW FORECASTS ARE ALL ABOVE AVERAGE AND STORAGE IN CLEAR LAKE IS ALMOST AT MAXIMUM USABLE CAPACITY. MARCH PRECIPITATION WAS 18% ABOVE NORMAL.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Aldridge Ditch (Tony Creek)	Average	Average
Badger Creek	Excellent	Average
Dee Irrigation Dist.	Average	Average
East Fork Irrig. Dist	Average	Average
Farmers Irrigation Dist.	Average	Average
Hood River Irrig. Dist	Average	Average
Juniper Flat	Average	Average
Middle Fork Irrig. Dist.	Average	Average
Mile Creeks	Excellent	Average
Mill Creek	Average	Average
Mount Hood Irrig. Dist.	Average	Average
Rock-Gate-Threemile Crs.	Average	Average
Tygh Creek	Excellent	Average
White River	Excellent	Average



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average [i]
Hood River near Tucker Bridge	286	100	April-July		286
	339	102	April-Sept.		332
Hood, West Fork near Dee	137	104	April-July	211	132
	162	105	April-Sept.	238	154
White below Tygh Valley	143	121	April-July	216	118
	165	124	April-Sept.	234	133

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
Clear Branch Inflow	*44	July 15-31	**39

*Average cfs forecast to flow for this two-week period.

**Average cfs for period of record.

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR	Usable Capacity	Usable Storage This Year	Usable Storage Last Year	Usable Storage Average [i]
Clear Lake (Wasco)	11.9	11.4	4.8	3.8

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	THIS YEAR'S SNOW WATER AS PERCENT OF Average [i]
Hood River	6	63	112
Mile Creeks	3	110	191
White River	3	70	116

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72 adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK
LOWER COLUMBIA WATERSHEDS
OREGON

as of

APRIL 1, 1975

GENERAL OUTLOOK

THE WATER SUPPLY PROSPECTS FOR THE COLUMBIA RANGE FROM EXCELLENT IN THE SOUTHERN PORTIONS DOWN TO SLIGHTLY BELOW AVERAGE IN THE NORTHERN MOST REACHES OF THE BASIN. THE SNOWPACK GENERALLY IS 110% OF AVERAGE. PRECIPITATION DURING THE MONTH WAS BELOW NORMAL IN THE NORTHERN SECTION OF THE BASIN AND ABOVE AVERAGE IN THE SOUTH. STORED WATER SUPPLIES IN THE BASIN ARE GENERALLY VERY GOOD FOR THIS TIME OF YEAR.



U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF	
		Last Year	Average [i]
Sandy River	3	70	113

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average [i]
Columbia at The Dalles [d]	76,500	105	April-June		73,160
	110,000	105	April-Sept		104,426
Sandy River near Marmot	332	97	April-July		342
	387	97	April-Sept.		398

HISTORICAL DATA (Columbia River at The Dalles)

YEAR	STREAMFLOW [d] (1,000 A.F.) APR. — SEPT.	APR. — JUNE	MAY — JUNE	REGULATED PEAK (1,000 c.f.s)	DATE
1958	97,700	72,000	58,600	593	May 31
1959	112,500	71,900	58,900	555	June 23
1960	97,000	64,000	48,000	442	June 6
1961	101,400	74,400	64,000	699	June 8
1962	94,600	64,100	49,200	460	June 5
1963	87,000	56,300	46,200	437	June 18
1964	109,020	70,739	61,313	662	June 18
1965	114,137	80,024	62,477	520	June 9
1966	87,268	58,120	45,922	396	June 12
1967	107,771	72,408	65,112	622	June 10
1968	89,000	55,500	47,900	404	June 13
1969	112,300	85,700	63,800	515	May 15
1970	88,100	62,800	55,200	425	May 28
1971	122,900	88,400	73,700	557	May 13
1972	134,700	96,400	81,400	619	June 20
1958-72 Avg.	104,300	72,900	59,900	529	

LOWER COLUMBIA RIVER FLOOD STAGES (with 9.5' tide at Astoria)

VANCOUVER GAGE (Weather Bu.)	FLOW AT THE DALLES (1,000 c.f.s)	DRAINAGE DISTRICT PUMPHOUSE SANDY	SAUVIE ISL.	SCAPPOOSE	DEER ISL.	RAINIER	BEAVER	WOODSON
		RIVER MILES 118.9	96.0	91.0	77.0	62.0	52.0	47.0
35 (1894)	1210	41.2	34.2	33.3	28.5	21.9	17.5	15.5
34	1160	40.5	33.5	32.5	27.7	21.2	17.0	15.0
33	1100	39.6	32.4	31.4	26.7	20.2	16.1	14.3
32 (1972)	1050	38.9	31.5	30.5	25.7	19.5	15.4	13.7
31 (1948)	1000	38.0	30.7	29.5	25.1	18.8	14.7	13.0
30	943	36.6	29.5	28.5	24.3	18.1	14.0	12.4
29	897	35.5	28.5	27.7	23.7	17.5	13.4	11.8
28	853	34.3	27.5	26.7	22.8	17.0	13.0	11.4
27 (1956)	811	33.0	26.5	25.6	21.8	16.2	12.5	11.0
26 (1950)	771	32.1	25.5	24.6	20.9	15.5	12.2	10.7
25	733	30.7	24.2	23.2	19.7	14.6	11.7	10.3
24	697	29.7	23.0	22.2	19.0	14.1	11.4	10.2
23	662	29.0	22.3	21.4	18.4	13.6	11.2	10.0
22	628	28.1	21.4	20.3	17.2	13.0	10.9	9.7
21	595	27.2	20.7	19.5	16.4	12.6	10.6	9.6
20 (1954)	564	26.2	19.8	18.6	15.5	12.1	10.2	9.4
19	534	25.5	19.2	18.0	15.0	11.8	10.0	9.3
18	501	24.4	18.3	17.2	14.3	11.4	9.8	9.1
17	479	23.4	17.4	16.4	13.7	11.0	9.6	8.9
16	452	22.4	16.5	15.5	13.0	10.5	9.3	8.7

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72 adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records.

WATER SUPPLY OUTLOOK
WILLAMETTE WATERSHEDS
OREGON
as of

APRIL 1, 1975

GENERAL OUTLOOK

ABOVE AVERAGE WATER SUPPLY CONDITIONS WILL PREVAIL FOR MOST OF THE WILLAMETTE VALLEY DURING THE SPRING AND SUMMER MONTHS. THE MOUNTAIN SNOWPACKS IS 20 - 40% ABOVE AVERAGE. WINTER PRECIPITATION HAS BEEN NEAR NORMAL AND THE FLOOD STORAGE RESERVOIRS ARE BEING HELD AT THEIR USUAL LOW LEVEL FOR THIS TIME OF YEAR. STREAMFLOW FORECASTS ARE GENERALLY ABOVE AVERAGE THROUGHOUT THE BASIN.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Calapooya	Average	Average
Clackamas	Average	Average
McKenzie	Excellent	Average
Molalla	Average	Average
Santiam, North	Average	Average
Santiam, South	Average	Average
Willamette, Coast Fork	Excellent	Average
Willamette, Middle Fork	Excellent	Average



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average [i]
Clackamas at Estacada	716	106	April-July		674
	829	105	April-Sept.		789
Clackamas above Three Lynx	541	107	April-July	779	506
	638	106	April-Sept.	889	604
McKenzie at McKenzie Bridge	471	104	April-July		453
	624	104	April-Sept.		598
McKenzie near Vida	1161	112	April-July		1035
	1406	111	April-Sept.		1262
McKenzie, So. Fork near Rainbow	252	120	April-July		210
	277	116	April-Sept.		239
Oak Grove Fork above Power Intake	138	112	April-July	210	123
	184	113	April-Sept.	261	162
Row near Dorena	108	110	April-July		98
	112	110	April-Sept.		102
Santiam, North at Mehama[d]	796	104	April-July		765
	906	104	April-Sept.		872
Santiam, South at Waterloo	576	102	April-July		564
	613	98	April-Sept.		623
Willamette, Mid. Fk. blw. N. Fk. nr. Oakridge	807	119	April-July	1037	678
	896	115	April-Sept.	1147	779
Willamette, No. Fk. of Mid. Fk. near Oakridge	221	117	April-July		189
	239	114	April-Sept.		209
Willamette at Salem[d]	5213	118	April-July	5921	4397
	5719	116	April-Sept.	6390	4943

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	THIS YEAR'S SNOW WATER AS PERCENT OF Average [i]
Clackamas River	2	57	128
McKenzie River	4	76	136
Row River	2	85	144
Santiam River	4	71	121
Willamette, Mid. Fk.	5	90	137

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR	Usable Capacity	Usable Storage This Year	Usable Storage Last Year	Usable Storage Average [i]
Blue River	85.6*	55.1	53.5	--
Cottage Grove	30.0*	16.9	15.3	16.6
Cougar	155.2*	97.4	94.1	74.3 [m]
Detroit	299.9*	201.4	188.4	177.6
Dorena	70.5*	37.6	38.8	38.4
Fall Creek	115.0*	74.7	71.1	73.8 [m]
Fern Ridge	94.2*	80.2	83.9	72.9
Foster	30.0*	14.7	15.1	9.0 [m]
Green Peter	270.0*	176.8	188.4	164.7 [m]
Hills Creek	200.0*	129.0	128.8	121.1 [m]
Lookout Point	337.2*	215.5	200.5	173.5
Timothy Lake	61.7	57.4	48.2	52.8
Henry Hagg Lake	57.3	49.1	--	--

*Multiple purpose reservoir--space reserved primarily for flood runoff.

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK
ROGUE, UMPQUA, WATERSHEDS
OREGON
as of

APRIL 1, 1975

GENERAL OUTLOOK

EXCELLENT WATER SUPPLIES ARE FORECAST FOR THE ROGUE, UMPQUA WATERSHEDS. MARCH PRECIPITATION WAS 168% OF NORMAL AND THE SNOWPACK IS NOW SITTING AT 60 - 120% ABOVE AVERAGE. STREAMFLOW FORECASTS RANGE FROM EIGHT PERCENT ABOVE AVERAGE ON THE ILLINOIS TO OVER TWICE THE NORMAL AMOUNT FOR FOURMILE LAKE NET INFLOW.

WATER SUPPLY OUTLOOK

Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Althouse Creek	Average	Average
Applegate River, Big	Excellent	Excellent
Applegate River, Little	Excellent	Excellent
Ashland Creek	Excellent	Excellent
Butte Creek, Big	Excellent	Excellent
Butte Creek, Little	Excellent	Excellent
Cow Creek	Excellent	Excellent
Deer Creek	Average	Average
Elk Creek	Excellent	Excellent
Emigrant Creek (abv. res.)	Excellent	Excellent
Evans Creek	Excellent	Excellent
Gold Hill Irrigation Dist.	Excellent	Excellent
Grants Pass Irrig. Dist.	Excellent	Excellent
Grave Creek	Excellent	Excellent
Illinois River, East Fork	Average	Average
Illinois River, West Fork	Average	Average
Jump-off-Joe Creek	Excellent	Excellent
Neil Creek	Excellent	Excellent
Red Blanket Creek	Excellent	Excellent
Rogue River	Excellent	Excellent
Sucker Creek	Excellent	Excellent
Table Rock Irrig. Dist.	Excellent	Excellent
Thompson Creek	Excellent	Excellent
Wagner Creek	Excellent	Excellent
Williams Creek	Excellent	Excellent



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average i
Applegate near Copper	167	126	April-Sept.		133
Clearwater above Trap Creek[d]	86	125	April-Sept.		69
Fourmile Lake net Inflow[d]	9.8	227	April-Sept.		4.3
Hyatt Reservoir net Inflow[d]	6.4	140	April-July		4.6
Illinois River near Kerby	208	108	April-July		191
	213	108	April-Sept.		197
Little Butte, N. Fk. at Fish Lake nr. Lake Cr.[d]	17.6	129	April-Sept.		13.7
Little Butte, S. Fk. near Lake Creek	48	169	April-July		256
Rogue above Prospect	333	130	April-July		256
	398	128	April-Sept.		311
Rogue, South Fork near Prospect[d]	88	145	April-July		61
	102	142	April-Sept.		72
Rogue at Raygold near Central Point	950	129	April-July	1119	735
	1130	127	April-Sept.	1305	890
Rogue at Grants Pass	1102	124	April-Sept.		890
Umpqua, No. blw. Lemolo Res. nr. Toketee Falls[d]	199	120	April-Sept.		166

FORECAST DATE of LOW FLOW VALUES

FORECAST POINT	Low Flow Value Second/Ft.	Forecast Date Stream Will Recede to Low Flow Value	Average Date of Low Flow Value
Little Butte Creek, South Fork	100	June 19.	May 27
Rogue at Raygold	1200	Sept.27	Aug. 7
	*2556	July 1	
	*1456	Aug. 15	

*Average daily cfs forecast to flow on this date.

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR	Usable Capacity	Usable Storage This Year	Usable Storage Last Year	Usable Storage Average i
Emigrant Lake	39.0	36.5	39.8*	35.8*
Fish Lake	8.0	7.7	5.3	5.7
Fourmile Lake	16.1	12.9	--	9.7
Howard Prairie	60.0	44.2	60.6	38.7 [m]
Hyatt Prairie	16.1	13.1	15.7	12.3

*Average for years of record (in base period) after reconstruction.

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	THIS YEAR'S SNOW WATER AS PERCENT OF Average i
Applegate	3	109	158
Bear Creek	2	106	180
Butte Creek	4	150	217
Illinois River	3	150	167
North Umpqua	3	96	184
Rogue River	5	113	164

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK
KLAMATH WATERSHEDS
OREGON
as of
APRIL 1, 1975

GENERAL OUTLOOK

EXCELLENT WATER SUPPLIES ARE FORECAST FOR THE KLAMATH BASIN. COOL TEMPERATURES AND NEARLY TWICE THE NORMAL MARCH PRECIPITATION INCREASED THE SNOWPACK TO 70 - 105% ABOVE NORMAL. THE MAJOR RESERVOIRS ARE STORING ABOVE AVERAGE AMOUNTS AND STREAMFLOW VOLUMES ARE FORECAST FROM 130% TO 230% OF AVERAGE.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Ft. Klamath Valley	Excellent	Average
Lost River (Clear Lake)	Excellent	Average
Lost River (Gerber)	Excellent	Average
Lost River (Willow Res.)	Excellent	Average
Sprague River	Excellent	Average
Upper Klamath Lake	Excellent	Average
Williamson River	Excellent	Average



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average [i]
Clear Lake Reservoir Inflow [k]	80	198	April-July		40
	81	193	April-Sept.		42
Gerber Reservoir Inflow [k]	42	225	April-July		18.6
	43	228	April-Sept.		18.9
Sprague near Chiloquin	295	140	April-July		212
	230	136	April-Sept.		242
Upper Klamath Lake net Inflow [k]	584	131	April-July	676	445
	738	138	April-Sept.	771	536
Williamson below Sprague River	582	140	April-Sept.		414

SOIL MOISTURE

RIVER BASIN	Number of Stations	THIS YEAR'S MOISTURE as PERCENT OF: Last Year	Average [i]
Upper Klamath	1	69	76

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR	Usable Capacity	Usable Storage This Year	Last Year	Average [i]
Clear Lake	440.2	336.6	362.1	248.9
Gerber	94.0	59.1	86.2	58.8
Upper Klamath Lake	584.0	430.9	520.7	475.4

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	Average [i]
Lost River	4	151	205
Sprague River	4	129	170
Upper Klamath	7	134	183
Williamson River	4	129	187

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK

LAKE COUNTY, GOOSE LAKE WATERSHEDS

OREGON

as of

APRIL 1, 1975

GENERAL OUTLOOK

THE WATER SUPPLY IS EXCELLENT FOR LAKE COUNTY, GOOSE LAKE WATERSHEDS. MARCH PRECIPITATION WAS 1-1/2 TIMES THE NORMAL AMOUNT AND THE SNOW-PACK NOW RANGES FROM 50% ABOVE AVERAGE ON TWENTYMILE CREEK TO THREE TIMES THE APRIL 1 AVERAGE ON THE SILVER CREEK WATERSHED. STREAMFLOW VOLUMES ARE FORECAST AT FIFTEEN TO TWENTY-FIVE PERCENT ABOVE NORMAL EXCEPT FOR DREWS INFLOW WHICH IS AT 180% OF AVERAGE.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Chewaucan River	Excellent	Average
Crooked Creek	Excellent	Average
Deep Creek	Excellent	Average
Dry Creek	Excellent	Average
East Side Goose Lake	Excellent	Average
Guano Lake	Excellent	Average
Honey Creek	Excellent	Average
Lakeview Water Users Assn.	Excellent	Average
Rock Creek (Hart Mountain)	Excellent	Average
Silver-Buck Creeks	Excellent	Average
Summer Lake	Excellent	Average
Thomas Creek	Excellent	Average
Twentymile Creek	Excellent	Average
Warner Lakes	Excellent	Average



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average i
Chewaucan near Paisley	94	125	April-July	118	75
	100	126	April-Sept.	122	79
Deep above Adel	81	122	April-July	87	66
	83	123	April-Sept.	89	68
Drews Reservoir net Inflow[d]	48	180	April-July		27
Honey Creek near Plush	19.7	116	April-July		17.0
	20	116	April-Sept.		17.2
Twentymile near Adel	23	124	April-July	23	18.6
	23	120	April-Sept.	24	19.1

SOIL MOISTURE

RIVER BASIN	Number of Stations	THIS YEAR'S MOISTURE as PERCENT OF: Last Year	Average i
Chewaucan, Silver Creek, Drew Creek	1	69	76
Honey, Deep, 20-Mi. Cr.	1	86	90

RESERVOIR STORAGE (Thousand Ac. Ft.) END OF MONTH

RESERVOIR	Usable Capacity	Usable Storage This Year	Last Year	Average i
Cottonwood	8.7	b	8.4*	5.3*
Drews	63.0	b	63.0	46.5

*Average for years of record (in base period) after reconstruction.

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	Average i
Chewaucan River	3	129	169
Deep Creek	3	152	185
Drew Creek	3	208	237
Honey Creek	3	164	172
Silver Creek	3	322	297
Twentymile Creek	3	110	150

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

WATER SUPPLY OUTLOOK
HARNEY BASIN WATERSHEDS
OREGON
as of

APRIL 1, 1975

GENERAL OUTLOOK

EXCELLENT WATER SUPPLIES WILL BE AVAILABLE FOR USERS IN HARNEY COUNTY. THE SNOWPACK IS NOW 70% ABOVE NORMAL AND STREAMFLOW VOLUMES ARE FORECAST AT 20 - 60% ABOVE NORMAL. PRECIPITATION WAS 1-1/2 TIMES THE MARCH AVERAGE.

WATER SUPPLY OUTLOOK Expressed as "Poor, Fair, Average, Excellent" With Respect to Usual Supply.

STREAM or AREA	Flow Period	
	Spring Season	Late Season
Catlow Valley	Excellent	Average
Cow Creek	Excellent	Average
Donner und Blitzen River	Excellent	Average
Mill-Coffeepot Creeks	Excellent	Average
Rattlesnake Creek	Excellent	Average
Silver Creek	Excellent	Average
Silvies River	Excellent	Average
Soldier-Prather Creek	Excellent	Average
Trout Creek	Excellent	Average
Whitehorse Creek	Excellent	Average



WATERSHED LOCATION

U.S.D.A. SOIL CONSERVATION SERVICE
OREGON STATE UNIVERSITY.....OREGON STATE ENGINEER

Report prepared by
T.A. GEORGE and J.W. HAGLUND
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

STREAMFLOW FORECASTS

BASIN, STREAM and/or FORECAST POINT	THIS YEAR FORECAST Thousand Acre Feet	THIS YEAR FORECAST Percent of Average	FORECAST PERIOD	PAST RECORD THOUSAND ACRE FEET Last Year	PAST RECORD THOUSAND ACRE FEET Average [i]
Donner und Blitzen near Frenchglen	66	136	April-July		48
	71	134	April-Sept.		53
Silver near Riley	23	148	April-July		15.6
Silvies River near Burns	115	157	April-July	150	73
	116	156	April-Sept.	152	74
Trout Creek near Denio	9.0	120	April-July	9.6	7.5
	9.3	118	April-Sept.	10.2	7.9

SOIL MOISTURE

RIVER BASIN	Number of Stations	THIS YEAR'S MOISTURE as PERCENT OF: Last Year	Average [i]
Silvies River, Silver Cr.	3	88	94

SUMMARY of SNOW MEASUREMENTS

(COMPARISON WITH PREVIOUS YEARS)

RIVER BASIN and/or SUB-WATERSHED	Number of Courses Averaged	THIS YEAR'S SNOW WATER AS PERCENT OF Last Year	Average [i]
Donner und Blitzen R.	4	147	162
Silver Creek	3	159	154
Silvies River	4	125	179
Trout Creek	3	158	185

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72 adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

BASIC DATA SUPPLEMENT 1

APRIL 1, 1975

SNOW

DRAINAGE BASIN and/or SNOW COURSE	THIS YEAR: Date of Survey	Snow Depth (In.)	Water Cont (In.)	PAST REC.: Water Content (inches) Last Yr.	Ave [i]
OWYHEE, MALHEUR WATERSHEDS					
Antelope Ridge (Ida.)	3/26	37	13.0	7.0	5.5 [h]
Battle Creek (Ida.)	3/29	15	5.2	T	1.8
Bear Creek (Nev.)	3/30	77	28.3	20.9	21.0
Big Bend (Nev.)	4/1	47	14.8	11.2	8.1
Blue Mountain Springs	3/27	72	22.7	24.6	15.6
Blue Mtn. Springs Pillow*	3/27	--	16.2	21.0	--
Buck Pasture	3/27	15	5.2	0.0	1.9 [m]
Buckskin, Lower (Nev.)	3/30	42	16.2	4.7	7.4
Buckskin, Upper (Nev.)	[b]			6.9	10.4
Bull Basin (Ida.)	3/29	3	1.1	0.0	0.5 [m]
Bully Creek	3/29	8	2.6	0.0	1.0 [h]
Call Meadow	3/29	24	7.9	2.2	3.1 [m]
Columbia Basin (Nev.) [e]	4/2	42	13.5	6.5	5.9 [h]
Cottonwood-Indian	3/29	T		0.0	0.1 [h]
Crane Prairie [j]	3/28	46	15.1	11.8	8.7
Disaster Peak (Nev.)	3/30	65	25.8	14.6	10.8
Eldorado Pass	3/27	18	6.1	0.5	1.0 [h]
Fawn Creek (Nev.) [e]	4/2	26	8.3	[a] 7.4	2.5
Fish Creek [j]	3/31	91	31.3	28.9	25.4 [m]
Fish Creek [e] [j]	3/29	93	31.6	24.0	23.4
Fish Creek Pillow*	3/31	--	39.2	28.8	--
Flag Prairie	3/29	27	8.9	T	2.8 [m]
Fox Creek (Nev.)	[b]			8.0	9.4
Fry Canyon (Nev.)	4/1	32	11.5	6.8	5.3
Gold Creek (Nev.)	4/1	28	9.4	5.1	4.9
Granite Peak (Nev.)	[b]			14.1	15.4 [h]
Hyde Pasture (Ida.)	3/29	30	10.5	5.8	3.0 [h]
Jack Creek, Lower (Nev.)	4/1	25	8.5	0.0	2.5
Jack Creek, Upper (Nev.)	4/1	46	15.8	9.2	10.0
Jack Peak (Nev.)	[b]			25.1	24.6 [h]
Lake Creek R. S.	3/27	49	16.0	13.6	8.9
Laurel Draw (Nev.)	3/29	44	15.1	7.0	6.5 [h]
Logan Valley	3/29	34	11.2	6.5	5.6 [m]
Lookout Butte	3/29	0	0.0	0.0	0.0 [m]
Louse Canyon	3/29	45	15.3	5.7	1.9 [m]
Martin Creek (Nev.)	[b]			6.3	9.1
Merritt Mountain (Nev.) [e]	4/2	34	10.8	[a] 4.5	4.2 [h]
Midas (Nev.)	[b]			0.5	2.7
Mud Flat (Ida.)	3/26	29	10.2	3.9	4.4
Oregon Canyon	3/29	15	5.2	4.4	4.1
Quinn Ridge (Nev.)	3/29	21	7.4	0.0	0.8
Red Canyon (Ida.)	3/29	34	11.9	6.7	4.6
Rock Spring	3/31	27	9.4	4.8	4.0
Rodeo Flat (Nev.)	4/1	31	11.6	5.5	5.1
76 Creek (Nev.)	[b]			12.9	11.6 [h]
Silver City (Ida.)	3/29	70	22.4	21.7	15.1
Silvies	3/31	45	16.0	11.9	13.1
Silvies [e]	3/29	36	12.6	T	9.4
Silvies Pillow*	3/31	--	31.8	28.8	--
South Mountain #2 (Ida.)	3/26	64	20.5	17.6	12.4
Stag Mountain (Nev.) [e]	4/2	33	11.0	[a] 6.1	3.7 [h]
Stinking Water	3/28	14	4.8	0.0	0.8
Succor Creek (Ida.)	3/29	84	26.9	3.8	4.6 [m]
Taylor Canyon (Nev.)	4/1	28	9.6	0.0	2.7
Toe Jam (Nev.) [e]	4/2	48	14.4	8.9	6.8 [h]
Tremewan Ranch (Nev.) [e]	4/1	0	0.0	0.0	0.2
Trout Creek	3/29	48	16.3	9.2	7.3 [m]
"V" Lake	3/29	48	16.3	7.9	5.0 [m]
Vaught Ranch (Ida.)	3/29	18	6.3	0.0	1.3 [m]
War Eagle (Ida.)	3/29	84	26.9	24.1	22.2 [m]

SNOW

DRAINAGE BASIN and/or SNOW COURSE	THIS YEAR: Date of Survey	Snow Depth (In.)	Water Cont. (In.)	PAST REC.: Water Content (inches) Last Yr.	Ave. [i]
BURNT, POWDER, PINE, GRANDE RONDE, IMNAHA WATERSHEDS					
Aneroid Lake #1 [j]	3/31	118	41.4	58.4	37.7
Aneroid Lake #2 [j]	3/31	106	37.0	51.6	33.6
Anthony Lake	3/27	90	35.1	35.3	27.4
Bald Mountain (Ore.)	3/28	82	27.9	33.6	24.6 [m]
Beaver Reservoir	3/27	51	15.7	17.5	12.8
Big Sheep	3/28	96	33.6	42.0	24.7 [m]
Blue Mtn. Summit	3/26	45	13.0	10.7	7.5
Bourne	3/26	68	26.0	21.9	14.6
County Line	3/27	20	6.9	4.1	3.9
Dooley Mountain	3/25	42	12.1	10.3	8.0
Eilertson Meadows	3/26	50	15.5	16.2	11.3
Eldorado Pass	3/27	18	6.1	0.5	1.0
Gold Center	3/26	60	18.5	16.8	12.5
Goodrich Lake	3/26	128	46.6	52.5	39.5
Intake House	[c]			14.4	10.6 [h]
Little Alps	3/27	62	19.2	20.2	14.8 [h]
Little Antone	3/27	38	12.1	5.4	5.5 [m]
Little Antone Alternate	3/27	44	13.8	8.2	--
Lucky Strike	4/1	44	14.5	13.4	13.0
Lucky Strike Pillow*	4/1	--	21.3	12.6	--
Meacham	3/28	36	13.7	18.2	8.2
Mirror Lake	3/28	194	67.9	--	72.5 [m]
Moss Spring	3/28	93	31.6	33.6	24.4
Power Plant	[c]			3.6	3.4 [h]
Schneider Meadow	3/28	106	37.3	45.7	31.1
Schoolmarm	3/27	12	3.8	1.9	2.8
Standley	3/28	100	41.0	51.2	33.4 [m]
Taylor Green	3/28	67	21.8	23.2	16.9
Tipton	3/26	55	16.5	14.8	9.5
Tipton Snow Pillow*	3/26	62	18.3	19.7	--
Tollgate	3/26	84	30.7	48.4	25.5
TV Ridge	3/28	75	26.2	31.0	23.8 [m]
UMATILLA, WALLA WALLA, WILLOW, ROCK, LOWER JOHN DAY WATERSHEDS					
Arbuckle Mountain	3/26	46	14.8	13.2	10.2
Arbuckle Mtn. Pillow*	3/26	--	31.9	31.1	--
Blue Mountain Camp	3/26	45	16.8	28.0	14.0 [h]
Butte Creek Summit	3/25	12	3.7	0.0	--
Emigrant Springs	3/28	14	5.2	6.2	2.3
High Ridge Pillow* [j]	4/1	100	33.6	32.3	--
Lucky Strike	4/1	44	14.5	13.4	13.0
Lucky Strike Pillow*	4/1	--	21.3	12.6	--
Meacham	3/28	36	13.7	18.2	8.2
Tollgate	3/26	84	30.7	48.4	25.5

BASIC DATA SUPPLEMENT 1

APRIL 1, 1975

SNOW

DRAINAGE BASIN and/or SNOW COURSE	THIS YEAR Date of Survey	Snow Depth (In.)	Water Cont (In.)	PAST REC. Water Content (inches) Last Yr.	Ave.i
UPPER JOHN DAY WATERSHEDS					
Anthony Lake	3/27	98	35.1	35.3	27.4
Arbuckle Mountain	3/26	46	14.8	13.2	10.2
Arbuckle Mt. Pillow*	3/26	--	31.9	31.1	--
Blue Mountain Springs	3/27	72	22.7	24.6	15.6
Blue Mt. Springs Pillow*	3/27	--	16.2	21.0	--
Blue Mountain Summit	3/26	45	13.0	10.7	7.5
Butte Creek Summit	3/25	12	3.7	0.0	--
Derr [j]	3/31	47	12.9	12.9	9.0
Gold Center	3/26	60	18.5	16.8	12.5
Indian Creek Butte	3/29	93	29.8	30.4	23.1[m]
Izee Summit	3/31	38	12.2	7.8	6.7
Lucky Strike	4/1	44	14.5	13.4	13.0
Lucky Strike Pillow*	4/1	--	21.3	12.6	--
Marks Creek	3/25	23	6.4	T	1.7
Ochoco Meadows	3/28	54	15.8	11.6	8.6
Olive Lake	3/27	70	25.2	26.2	21.1
Schoolmarm	3/27	12	3.8	1.9	2.8
Snow Mountain	3/27	60	16.6	13.8	12.6
Snow Mt. Pillow**	4/1	--	11.4	11.0	--
Starr Ridge	3/31	31	9.9	6.0	3.9
Tipton	3/26	55	16.5	14.8	9.5
Tipton Snow Pillow*	3/26	--	21.1	19.7	--
UPPER DESCHUTES, CROOKED WATERSHEDS					
Bald Peter	3/28	82	27.9	50.4	--
Caldwell	3/28	48	16.4	14.6	7.3
Cascade Summit	3/28	120	40.8	43.9	28.8
Chemult	3/27	53	16.2	9.7	7.1
Chemult Alternate	3/27	62	19.8	13.5	--
Derr	3/31	47	12.9	12.9	9.0
Hogg Pass	3/31	137	49.9	65.3	41.1
Hungry Flat	3/29	40	15.4	7.6	2.2
Irish-Taylor Pillow**	3/21	--	49.5	--	38.0
Lionshead	3/29	72	21.6	--	--
Marks Creek	3/25	23	6.4	T	1.7
New Crescent Lake	3/25	74	21.8	23.7	13.0
New Dutchman Flat #2	3/29	165	72.5	80.7	51.0
Ochoco Meadows	3/28	54	15.8	11.6	8.6
Racing Creek	3/28	79	22.6	29.8	--
Snow Mountain	3/27	60	16.6	13.8	12.6
Snow Mt. Pillow**	4/1	--	11.4	11.0	--
Summit Lake	3/26	159	52.4	59.7	40.3
Summit Lake	4/1	--	48.4	--	--
Tamarack	3/25	33	9.4	3.5	3.1[h]
Tangent	3/29	99	37.1	41.6	21.6
Three Creek Butte	3/27	61	17.2	15.7	8.2
Three Creek Meadow	3/27	84	26.5	28.9	18.3
Three Creek Mdw. Pillow**(Tel)	3/31	--	27.2	--	--
Waldo Lake	3/28	125	44.7	47.7	31.0
Whitewater Meadow	3/29	33	9.9	--	--

SNOW

DRAINAGE BASIN and/or SNOW COURSE	THIS YEAR Date of Survey	Snow Depth (In.)	Water Cont. (In.)	PAST REC. Water Content (inches) Last Yr.	Ave.i
HOOD, MILE CREEKS, LOWER DESCHUTES WATERSHEDS					
Brooks Meadows	3/27	53	18.0	16.1	10.2
Clear Lake	3/25	39	13.1	20.3	8.9
Clear Lake (Experimental)	3/25	65	20.3	30.0	15.2
Cooper Spur	3/29	54	19.2	21.2	12.7
Greenpoint	3/27	50	17.2	29.8	16.1
Knebal Springs	3/27	39	13.9	11.8	6.3
Mt. Hood Test Site	3/31	192	71.2	95.8	65.0
Red Hill	3/29	111	37.8	83.8	41.6
Still Creek	3/26	80	29.7	47.8	24.1
Switchback	3/29	42	15.8	30.0	13.1
Tilly Jane	3/29	131	53.6	74.9	42.1
Ulrich Ranch Junction	3/27	15	5.4	6.0	3.0
Umbrella Falls	3/28	198	78.2	--	70.8
WILLAMETTE WATERSHEDS					
Cascade Summit	3/28	120	40.8	43.9	28.8
Champion [j]	3/31	111	41.6	54.8	29.2
Clackamas Lake	3/28	36	12.5	22.3	11.7
Clear Lake	3/25	39	13.1	20.3	8.9
Clear Lake (Expt.)	3/25	65	20.3	30.0	15.2
Dead Horse Grade	3/28	35	10.9	28.7	17.3
Detroit (Town)	3/31	0	0.0	0.0	0.0
Detroit Dam	3/31	0	0.0	0.0	0.0
Golden Curry Creek [j]	3/31	16	5.2	T	3.4[m]
Hogg Pass	3/31	137	49.9	65.3	41.1
Lake Harriet	[b]			--	0.0[m]
Laurel Mountain	3/31	30	10.1	8.0	--
Layng Creek [j]	3/31	0	0.0	0.0	0.0
Lookout Point Dam	3/28	0	0.0	0.0	0.0
Lost Creek Ranch	3/28	0	0.0	0.0	2.2
Lund Park [j]	3/31	0	0.0	0.0	0.0
Marion Forks	3/31		12.3	24.6	11.7[h]
Marys Peak	3/28	30	10.1	11.0	12.4[m]
McCredie Springs	3/28	0	0.0	0.0	0.0
McKenzie	3/28	148	57.6	73.7	43.5
McKenzie Bridge	3/28	0	0.0	0.0	0.0
Mill City	3/31	0	0.0	0.0	0.0
Mt. Hood Test Site**	3/31	192	71.2	95.8	65.0
Oakridge	3/28	0	0.0	0.0	0.0
Peavine Ridge Pillow**(Tel.)	4/1	--	14.3	36.2	16.3[h]
Railroad Overpass	3/28	5	2.1	0.0	0.4
Saddle Mountain Pillow**(Tel)	4/1	--	14.0	14.1	--
Salt Creek Falls	3/28	56	18.6	23.8	15.4
Santiam Junction	3/31	77	28.9	41.1	21.6
Seine Creek Pillow**(Tel.)	4/1	--	2.9	4.2	--
Still Creek	3/26	80	29.7	47.8	24.1
Summit Lake	3/26	159	52.4	59.7	40.3
Summit Lake	4/1	--	48.4	--	--
Timothy Lake	3/26	53	16.6	29.9	15.7[m]
Valsetz Summit	3/31	12	3.6	0.0	--
Vida	3/28	0	0.0	0.0	0.0
Waldo Lake	3/28	125	44.7	47.7	31.0
Weaver Creek [j]	3/31	T	T	0.0	0.2
White Branch Slide	3/28	35	10.9	16.1	6.1
Whitewater Bridge	3/31	3	1.5	0.0	0.2

BASIC DATA SUPPLEMENT 1

APRIL 1, 1975

SNOW

DRAINAGE BASIN and/or SNOW COURSE	THIS YEAR Date of Survey	Snow Depth (In.)	Water Cont (In.)	PAST REC. Water Content (inches) Last Yr.	Ave.
ROGUE, UMPQUA WATERSHEDS					
Althouse	3/28	39	14.1	10.0	7.5
Annie Spring	3/31	157	57.1	75.9	45.9
Beaver Dam Creek	3/31	67	26.6	18.7	11.4[h]
Big Red Mountain	3/27	130	44.4	49.8	30.3
Billie Creek Divide	3/27	99	37.6	28.4	20.7
Caliban	3/27	134	47.2	55.0	32.8[h]
Caliban (Alternate)	3/27	136	45.4	53.5	--[h]
Champion [j]	3/31	111	41.6	54.8	29.2
Cold Springs Camp	3/28	139	48.2	48.3	34.7[h]
Cold Spgs. Camp Pillow**	[b]			37.9	--
Deadwood Junction	3/31	45	18.5	6.5	7.4[h]
Diamond-Crater Sum.	3/25	145	45.0	45.9	31.4[h]
Diamond Lake	3/25	115	33.0	31.6	21.2
Fish Lake	3/28	72	27.1	18.1	11.4[h]
Fourmile Lake [j]	3/27	98	35.4	28.4	25.1[h]
Grayback Peak	3/28	128	42.1	28.9	26.2
Howard Prairie Reservoir	3/31	48	18.0	10.1	6.7[h]
Hyatt Prairie	3/31	43	16.9	6.9	6.3[h]
King Mountain #1	3/27	60	19.2	10.6	8.4[m]
King Mountain #2	3/27	38	14.4	6.4	6.4[m]
King Mountain #3	3/27	14	4.2	0.0	0.3[m]
King Mountain #4	3/27	0	0.0	0.0	0.0[m]
King Mountain #5	3/27	0	0.0	0.0	0.0[m]
King Mountain #6	3/27	0	0.0	0.0	0.0[m]
Little Red Mountain	3/27	120	41.1	38.1	24.5
Mt. Ashland Switchback	3/27	140	48.5	58.7	33.2[h]
Mule Creek	3/27	34	11.8	6.8	--
North Umpqua	3/31	58	22.4	26.3	12.2
Page Mountain	3/28	17	6.2	2.6	3.6
Park Headquarters	3/30	192	75.5	103.0	60.3
Red Butte #1	3/26	72	22.7	25.1	15.0[m]
Red Butte #2	3/26	50	17.2	10.7	9.3[h]
Red Butte #3	3/26	21	6.2	3.0	7.5[h]
Red Butte #4	3/26	10	3.2	T	3.4[h]
Red Butte #5	3/26	6	1.6	0.0	0.0[m]
Red Butte #6	3/26	0	0.0	0.0	0.0[m]
Seven Mile	3/26	139	45.6	42.5	--
Silver Burn	3/27	60	22.5	18.5	10.9
Siskiyou Summit	3/28	52	17.4	3.3	3.4
Ski Bowl Road	3/26	142	49.0	44.6	27.6[h]
South Fork Canal	3/30	8	2.6	0.0	0.7
Trap Creek	3/31	56	22.5	22.8	9.0
Whaleback	3/31	137	55.2	46.6	32.5

SNOW

DRAINAGE BASIN and or SNOW COURSE	THIS YEAR Date of Survey	Snow Depth (In.)	Water Cont (In.)	PAST REC. Water Content (inches) Last Yr.	Ave.
KLAMATH WATERSHEDS					
Annie Spring	3/31	157	57.1	75.9	45.9
Billie Creek Divide	3/27	99	37.6	28.4	20.7
Chemult	3/27	53	16.2	9.7	7.1
Chemult (Alternate)	3/27	62	19.8	13.5	--
Chiloquin (PP&L)	[b]			0.0	T
Cold Springs Camp	3/28	139	48.2	48.3	34.7[h]
Cold Spgs. Camp Pillow**	[b]			37.9	--
Crazyman Flat[e]	3/26	62	16.7	16.0	9.0[h]
Crowder Flat (Calif.)[e]	3/26	22	7.3	1.9	1.5
Crystal (PP&L)	3/29	48	18.0	4.3	5.3
Diamond-Crater Sum.	3/25	145	45.0	45.9	31.4[h]
Diamond Lake Junction (97)	3/26	38	11.7	3.1	4.1[h]
Dog Hollow[e]	3/26	6	2.5	1.6	0.5
Finley Corrals[e]	3/26	78	23.4	22.1	14.7
Fort Klamath (PP&L)	3/31	27	8.6[e]	0.0	1.2
Fourmile Lake [j]	3/27	98	35.4	28.4	25.1[h]
Gerber [j]	4/1	8	3.4	1.5	0.6[h]
Harriman (PP&L)	3/31	27	8.6[e]	T	1.8[m]
Howard Prairie	3/31	48	18.0	10.1	6.7[h]
Hyatt Prairie Reservoir	3/31	43	16.9	6.9	6.3[h]
Kirk (PP&L)	3/31	38	13.3[e]	--	2.6[m]
Park Headquarters	3/30	192	75.5	103.0	60.3
Quartz Mountain	3/27	39	13.0	1.3	4.5
Seven Mile	3/26	139	45.6	42.5	--
State Line (Calif.)[e]	3/26	48	15.8	11.1	7.1
Strawberry	3/31	41	13.4	7.9	6.2[h]
Strawberry[e]	3/26	48	15.8	7.7	5.7[h]
Summer Rim	3/26	73	20.8	24.7	17.0
Summer Rim[e]	3/26	66	16.5	27.0	17.3[m]
Summer Rim Pillow*	3/26	--	32.1	25.7	--
Sycan Flat	3/26	45	11.7	3.8	4.7
Taylor Butte	3/27	34	9.6	4.4	3.2
LAKE COUNTY, GOOSE LAKE WATERSHEDS					
Adin Mountain (Calif.)	3/24	64	20.4	16.6	12.3
Bald Mountain (Nev.)[e]	3/31	15	5.0	6.6	2.5
Bear Flat Meadow[e]	3/28	54	17.8	12.6	10.9
Camas Creek	3/27	62	18.9	10.4	9.1
Cedar Pass (Calif.)	3/24	73	24.5	21.3	15.6
Colvin Creek[e]	3/26	24	7.2	3.8	4.9[m]
Cox Flat[e]	3/28	54	17.8	3.8	6.1
Crowder Flat (Calif.)[e]	3/26	22	7.3	1.9	1.5
Dismal Swamp (Calif.)	3/28	79	23.7	24.2	18.5
Finley Corrals[e]	3/26	78	23.4	22.1	14.7[h]
Hart Mountain[e]	3/26	12	4.0	1.3	1.1
Little Bally Mtn. (Nev.)[e]	3/28	22	7.2	1.9	1.6[m]
Mt. Bidwell (Calif.)	3/26	93	32.3	25.6	--
North Star (Calif.)	3/26	72	24.1	15.4	--
Patton Meadows[e]	3/26	80	26.4	24.6	17.5
Quartz Mountain	3/27	39	13.0	1.3	4.5
Sherman Valley	3/26	63	18.9	13.3	12.1
Silver Creek	3/26	20	5.1	0.0	0.0
State Line (Calif.)[e]	3/26	48	15.8	11.1	7.1
Strawberry	3/31	41	13.4	7.9	6.2
Strawberry[e]	3/26	48	15.8	7.7	5.7[h]
Summer Rim	3/26	73	20.8	24.7	17.0
Summer Rim[e]	3/26	66	16.5	27.0	17.3[m]
Summer Rim Pillow*	3/26	--	32.1	25.7	--
Sycan Flat	3/26	45	11.7	3.8	4.7[h]
Willow Creek	3/28	24	7.2	1.9	2.9

BASIC DATA SUPPLEMENT 1

APRIL 1, 1975

SNOW — DRAINAGE BASIN and/or SNOW COURSE	THIS YEAR: Date of Survey	Snow Depth (In.)	Water Cont (In.)	PAST REC.: Water Content (inches) Last Yr.	Ave+
HARNEY BASIN WATERSHEDS					
Blue Mountain Springs	3/27	72	22.7	24.6	15.6
Blue Mtn. Springs Pillow*	3/27	--	16.2	21.0	--
Buck Pasture	3/27	15	5.2	0.0	1.9 m
Buckskin Lake	3/29	0	0.0	0.0	0.0 m
Call Meadows	3/29	24	7.9	2.2	3.1 m
Delintment Lake	3/27	43	9.4	5.8	6.0
Denio Creek	3/29	T		0.0	0.2
Disaster Peak (Nev.)	3/30	65	25.8	14.6	10.8
Emigrant Butte	3/28	22	6.3	0.0	1.6
Fish Creek j	3/31	91	31.3	28.9	25.4
Fish Creek e j	3/29	93	31.6	24.0	23.4 m
Fish Creek Pillow* j	3/31	--	39.2	28.8	--
Hart Mountain e	3/26	12	4.0	1.3	1.1
Idlewild Camp	3/28	34	9.5	5.2	3.6
Idlewild Camp Alternate	3/28	22	6.7	0.0	--
Izee Summit	3/31	38	12.2	7.8	6.7
Lake Creek R. S.	3/27	49	16.0	13.6	8.9
Oregon Canyon	3/29	15	5.2	4.4	4.1 m
Rock Spring	3/31	27	9.4	4.8	4.0
Silvies	3/31	45	16.0	11.9	13.1
Silvies e	3/29	36	12.6	T	9.4
Silvies Pillow*	3/31	--	31.8	28.8	--
Snow Mountain	3/27	60	16.6	13.8	12.6
Snow Mountain Pillow**	4/1	--	11.4	11.0	--
Starr Ridge	3/31	31	9.9	6.0	3.9
Stinking Water	3/28	14	4.8	0.0	0.8 m
Trout Creek	3/29	48	16.3	9.2	7.3 m
"V" Lake	3/29	48	16.3	7.9	5.0 m

SNOW — DRAINAGE BASIN and/or SNOW COURSE	THIS YEAR: Date of Survey	Snow Depth (In.)	Water Cont. (In.)	PAST REC.: Water Content (inches) Last Yr.	Ave+

*Manometer Reading.
**Telemetry Reading.
1/Location has been changed--surveys are made on an alternate site and data has been revised accordingly.

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Serial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

BASIC DATA SUPPLEMENT 2

APRIL 1, 1975

SOIL MOISTURE

DRAINAGE BASIN and/or STATION		Profile (Inches)		Date of Survey	Soil Moisture (Inches)		
Name	Elevation	Depth	Capacity		This Year	Last Year	Average [i]
OWYHEE, MALHEUR WATERSHEDS							
Bear Creek (Nev.)	7800	72	16.8	b		10.5	11.5
Big Bend (Nev.)	6700	48	16.7	4/1	14.0	16.7	15.0
Blue Mountain Spring	5900	42	16.9	3/27	8.7	12.2	11.5 [m]
Mud Flat (Ida.)	5500	48	12.8	b		--	13.3 [m]
Rodeo Flat (Nev.)	6800	42	11.0	4/1	6.6	7.8	8.4
Taylor Canyon (Nev.)	6200	48	15.1	4/1	10.4	15.1	12.9
BURNT, POWDER, PINE, GRANDE RONDE, IMNAHA WATERSHEDS							
Blue Mountain Summit	5100	36	16.8	3/26	12.1	13.3	12.1 [m]
Dooley Mountain	5430	36	9.2	3/25	5.3	6.9	4.9 [m]
Emigrant Springs	3925	48	22.3	3/28	19.0	21.3	21.0 [m]
Moss Springs	5850	36	25.8	3/28	14.1	15.8	15.0 [m]
Tollgate	5070	48	23.6	3/26	13.6	16.6	18.9 [m]
UMATILLA, WALLA WALLA, WILLOW, ROCK, LOWER JOHN DAY WATERSHEDS							
Emigrant Springs	3925	48	22.3	3/28	19.0	21.3	21.0 [m]
Tollgate	5070	48	23.6	3/26	13.6	16.6	18.9 [m]
UPPER JOHN DAY WATERSHEDS							
Blue Mountain Spring	5900	42	16.9	3/27	8.7	12.2	11.5 [m]
Blue Mountain Summit	5100	36	16.8	3/26	12.1	13.3	12.1 [m]
Marks Creek	4540	36	14.1	3/25	9.4	13.6	13.0
Snow Mountain	6300	48	16.7	3/28	12.3	15.4	14.3 [m]
Starr Ridge	5150	36	10.6	3/31	10.6	10.6	10.1 [m]
UPPER DESCHUTES, CROOKED WATERSHEDS							
Marks Creek	4540	36	14.1	3/25	9.4	13.6	13.0
Snow Mountain	6300	48	16.7	3/28	12.3	15.4	14.3 [m]
KLAMATH WATERSHEDS							
Quartz Mountain	5230	48	15.3	3/27	6.9	10.0	9.1 [m]
LAKE COUNTY, GOOSE LAKE WATERSHEDS							
Camas Creek	5720	42	14.5	3/27	11.5	13.3	12.8 [m]
Quartz Mountain	5230	48	15.3	3/27	6.9	10.0	9.1 [m]
HARNEY BASIN WATERSHEDS							
Blue Mountain Spring	5900	42	16.9	3/27	8.7	12.2	11.5 [m]
Silvies	6900	48	16.4	3/31	13.8	15.3	13.7 [m]
Snow Mountain	6300	48	16.7	3/28	12.3	15.4	14.3 [m]
Starr Ridge	5150	36	10.6	3/31	10.6	10.6	10.1 [m]
Willow-Bald	5000	24	6.6	3/28	5.6	6.4	5.9 [m]

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72, adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L Co. or USBR records. (m) Average for 5 or more years in base period.

BASIC DATA SUPPLEMENT 3

APRIL 1, 1975

PRECIPITATION (Inches)

DRAINAGE BASIN and PRECIPITATION GAGE LOCATION	ELEVATION	CURRENT INFORMATION		PAST RECORD	
		Date of Reading	Precip-itation	Last Year	Average [i]
Althouse (Josephine County)	4530	From 2/27 to 3/28	14.18	8.10	
Derr (Wheeler County)	5800	From 2/26 to 3/31	1.50	--	
Marks Creek (Crook-Wheeler Cos.)	4540	From 2/26 to 3/26	4.00	2.50	
Saddle Mountain (Washington County)	3250	From 3/1 to 4/1	13.20	--	
Seine Creek (Washington County)	2150	From 3/1 to 4/1	8.60	--	

(a) Assuming normal meteorological conditions. (b) No report. (c) Not scheduled. (d) Corrected to natural flow. (e) Aerial snow depth gage, water content estimated. (f) Nearest current data. (g) Partly estimated. (h) 1958-72 adjusted average. (i) 1958-72, 15 year average. (j) Telephonic report - data not confirmed. (k) Data from PP&L CO. or USBR records. (m) Average for 5 or more years in base period.

Map and Index to OREGON SNOW COURSES

OWYHEE, MALHEUR WATERSHEDS (1)

Owyhee River

Number	Name		Sec	Twp	Rge	Elev
16G6	Antelope Ridge	(Ida)	20	5S	1E	5900
16G9a	Battle Creek	(Ida)	10	11S	1E	5700
15H1MA	Bear Creek	(Nev)	31	46N	58E	7800
15H2MP	Big Bend	(Nev)	30	45N	56E	6700
17H2	Buckskin, Lower	(Nev)	25	45N	39E	6700
17H1	Buckskin, Upper	(Nev)	11	45N	39E	7200
16G10a	Bull Basin	(Ida)	29	12S	5W	5600
16H6a	Columbia Basin	(Nev)	31	44N	53E	6650
18H1	Disaster Peak	(Nev)	8	47N	34E	6500
16H8a	Fawn Creek	(Nev)	2	45N	52E	7000
18G2PA	Fish Creek		4	33S	33E	7900
15H2	Fox Creek	(Nev	33	40N	58E	6800
15H7	Fry Canyon	(Nev)	31	43N	54E	6700
15H5	Gold Creek	(Nev)	31	45N	56E	6600
17H4	Granite Peak	(Nev)	22	44N	39E	7800
16G5a	Hyde Pasture	(Ida)	31	5S	2W	5800
16H1M	Jack Creek, Lower	(Nev)	18	42N	53E	6800
16H2A	Jack Creek, Upper	(Nev)	9	42N	53E	7250
16H4	Jack Peak	(Nev)	28	42N	53E	8420
17G3a	Jordan Valley		2	30S	46E	4390
16H5	Laurel Draw	(Nev)	20	45N	53E	6700
17G6a	Lookout Butte		2	40S	47E	5650
17G4a	Louse Canyon		27	40S	44E	6440
17H3	Martin Creek	(Nev)	18	44N	40E	6700
15H20a	Merritt Mountain	(Nev)	10	46N	54E	7000
16H3AP	Midas	(Nev)	18	39N	46E	7200
16G7MP	Mud Flat	(Ida)	34	9S	2W	5500
17G5a	Oregon Canyon		8	40S	40E	6950
17H6a	Quinn Ridge	(Nev)	9	47N	41E	6300
16G11a	Red Canyon	(Ida)	32	11S	4W	6650
15H6MP	Rodeo Flat	(Nev)	36	43N	53E	6800
15H3A	76 Creek	(Nev)	6	44N	58E	7100
16F3AP*	Silver City	(Ida)	6	5S	3W	6400
18G1PA	Silvies		35	32S	33E	6900
16G1P	South Mountain No.2	(Ida)	10	8S	5W	6340
15H19a	Stag Mountain	(Nev)	32	41N	58E	7800
16F6a	Succor Creek	(Ida)	25	3S	5W	6100
15H9MP	Taylor Canyon	(Nev)	35	39N	53E	6200
16H7a	Toe Jam	(Nev)	29	40N	50E	7700
15H8	Tremewan Ranch	(Nev)	9	39N	55E	5700
16G4MA	Triangle	(Ida)	25	7S	3W	5150
18G5a	Trout Creek		10	41S	38E	7800
18G7a	"V" Lake		31	35½S	32½E	6600
16G12a	Vaught Ranch	(Ida)	10	11S	1W	5950
16G13a	War Eagle	(Ida)	20	5S	3W	7700

Malheur River

Number	Name	Sec	Twp	Rge	Elev
18E16MP	Blue Mountain Springs	21	15S	35E	5900
18F6a	Buck Pasture	28	29S	35E	5300
18E21a	Bully Creek	11	17S	37E	5300
18F7a	Call Meadows	29	20S	33E	5340
17F2a	Cottonwood-Indian	3	19S	39E	4320
18E19M	Crane Prairie	24	16S	34E	5375
18E20	Eldorado Pass	20	14S	38E	4600
18E26a	Flag Prairie	32	16S	36E	4750
18E18	Lake Creek	10	16S	33½E	5200
18E22a	Logan Valley	13	16S	33½E	5100
18F1	Rock Spring	23	18S	32E	5100
18E32p*	S. Fk. Willow Cr.	2	16S	37E	5500
18F4P	Stinking Water	34	21S	34E	4800

BURNT, POWDER, PINE, GRANDE RONDE, IMNAHA WATERSHEDS (2)

Burnt River

Number	Name	Sec	Twp	Rge	Elev
18E13M	Blue Mountain Summit	6	12S	36E	5098
17E1MP	Dooley Mountain	32	11S	40E	5430
18E20	Eldorado Pass	20	14S	38E	4600
18E8	Gold Center	21	9S	36E	5340
18E9P	Tipton	34	10S	35E	5100

Powder River

Number	Name	Sec	Twp	Rge	Elev
18E1P	Anthony Lake	18	7S	37E	7125
18E5	Bourne	33	8S	37E	5800
17E1MP	Dooley Mountain	32	11S	40E	5430
18E3	Eilertson Meadows	18	8S	38E	5400
18E8	Gold Center	21	9S	36E	5340
18E6A	Goodrich Lake	4	9S	38E	6775
18E29	Intake House	5	8S	38E	4930
17012m	Ladd Summit	5	5S	39E	3730
18E23	Little Alps	10	7S	37E	6200
18E30	Little Antone	1	7S	37E	5000
18E28	Power Plant	33	7S	38E	3990
1707P	Taylor Green	3	6S	42E	5740

Pine Creek

Number	Name	Sec	Twp	Rge	Elev
1708	Schneider Meadows	35	6S	45E	5400

Grande Ronde River

Number	Name	Sec	Twp	Rge	Elev
1701	Aneroid Lake No. 1	16	4S	45E	7480
1702P	Aneroid Lake No. 2	16	4S	45E	7300
18E1P	Anthony Lake	18	7S	37E	7125
17010a	Bald Mountain	14 & 15	4S	41E	6700
18D9	Beaver Reservoir	8	5S	37E	5150
1808P	County Line	28	4S	34E	4800
1806P	Lucky Strike	28	3S	32E	5050
1805	Meacham	24	1S	35E	4300
18D20	Meacham Snow Pillow	35	1S	35E	4150
17013a	Mirror Lake	34	4S	44E	8200
1706M	Moss Spring	28	3S	41E	5850
18D7	Schoolmarm	28	4S	34E	4775
17011a	Standley	21	2S	42E	7400
1707P	Taylor Green	3	6S	42E	5740
1803	Tollgate	32	4N	38E	5070
17016a	TV Ridge No. 2	12	2S	43E	7000

Imnaha River

Number	Name	Sec	Twp	Rge	Elev
1701	Aneroid Lake No. 1	16	4S	45E	7480
1702P	Aneroid Lake No. 2	16	4S	45E	7300
17014a	Big Sheep	33	4S	46E	6200

UMATILLA, WALLA WALLA, WILLOW, ROCK, LOWER JOHN DAY WATERSHEDS (3)

Umatilla River

Number	Name	Sec	Twp	Rge	Elev
1902P	Arbuckle Mountain	33	4S	29E	5400
18D12MP	Battle Mountain Summit	29	3S	31E	4340
20E4	Butte Creek Summit	5	8S	22E	3930
18D4M	Emigrant Springs	29	1N	35E	3925
18D19	High Ridge Pillow	31	1S	35E	4150
1806P	Lucky Strike	28	3S	32E	5050
18D5	Meacham	24	1S	35E	4300
18D20	Meacham Snow Pillow	35	1S	35E	4150
1803	Tollgate	32	4N	38E	5070

Walla Walla River

Number	Name	Sec	Twp	Rge	Elev
18016	Blue Mountain Camp	35	4N	37E	4300
18D3	Tollgate	32	4N	38E	5070

Willow Creek

Number	Name	Sec	Twp	Rge	Elev
1902P	Arbuckle Mountain	33	4S	29E	5400
18E1P	Anthony Lake	18	7S	37E	7125

LEGEND

1902	SNOW COURSE ONLY
1902M	SNOW COURSE AND SOIL MOISTURE
1902MA	SNOW COURSE, SOIL MOISTURE AND AERIAL MARKER
1902A	SNOW COURSE AND AERIAL MARKER
1902m	SOIL MOISTURE ONLY
1902a	AERIAL MARKER ONLY
1902P	SNOW COURSE AND PRECIPITATION GAGE
1902p	PRECIPITATION GAGE ONLY
1902*	RADIO TELEMETRY

UPPER JOHN DAY WATERSHEDS (4)

Upper John Day River

Number	Name	Sec	Twp	Rge	Elev
1902P	Arbuckle Mountain	33	4S	29E	5400
18D12MP	Battle Mountain Summit	29	3S	31E	4340
18E16MP	Blue Mountain Springs	21	15S	35E	5900
18E13M	Blue Mountain Summit	6	12S	36E	5098
20E4	Butte Creek Summit	5	8S	22E	3930
19E3MP	Derr	14	13S	23E	5670
18E8	Gold Center	21	9S	36E	5340
18E24a	Indian Cr. Butte	5	15S	33E	6550
19E9P	Izee Summit	28	16S	29E	5293
1806P	Lucky Strike	28	3S	32E	5050
20E1MP	Marks Creek	25	12S	19E	4540
20E2	Ochoco Meadows	21	13S	20E	5200
18E7a	Olive Lake	14	9S	34E	6000
18D7	Schoolmarm	28	4S	34E	4775
19F1*	Snow Mountain	1	19S	26E	6220
19E7M	Starr Ridge	20	15S	31E	5150
18E9P	Tipton	34	10S	35½E	5100

UPPER DESCHUTES, CROOKED WATERSHEDS (5)

Upper Deschutes River

Number	Name	Sec	Twp	Rge	Elev
21E22	Bald Peter	29	10S	9E	5400
21F8	Caldwell Ranch	30	21S	8E	4400
22F3	Cascade Summit	7	23S	6E	4880
21F11	Chemult	21	27S	8E	4760
21E6	Hogg Pass	24	13S	7½E	4755
21F4	Hungry Flat	29	18S	11E	4400
21F6*	Irish-Taylor	25	20S	6E	5500
21E25a	Lionshead	1	10S	8E	5400
21F10	New Crescent Lake	11	24S	6E	4800
21E16	New Dutchman Flat #2	21	18S	9E	6400
21E23	Racing Creek	15	10S	9E	4800
21F3	Tangent	28	18S	10E	5400
21E15	Three Creeks Butte	27	16S	9E	5200
21E13*	Three Creeks Meadows	34	16S	9E	5650
22F2P	Waldo Lake	15	21S	6E	5600
21E24a	Whitewater Meadow	17	10S	9E	4160
22F14*	Willamette Pass	33	24S	5½E	5600

Crooked River

Number	Name	Sec	Twp	Rge	Elev
19E3MP	Derr	14	13S	23E	5670
20E1MP	Marks Creek	25	12S	19E	4540
20E2	Ochoco Meadows	21	13S	20E	5200
19F1*	Snow Mountain	1	19S	26E	6220
19E4	Tamarack	8	15S	25E	4800

HOOD, MILE CREEKS, LOWER DESCHUTES WATERSHEDS (6)

Hood River

Number	Name	Sec	Twp	Rge	Elev
2106P	Brooks Meadows	2	2S	10E	4300
21025	Cooper Spur	6	2S	10E	3490
2101	Greenpoint Reservoir	27	2N	9E	3200
21020	Knebal Springs	31	1S	11E	3850
21023	Parkdale	5	1S	10E	1770
2108*	Phlox Point	7	3S	9E	5400
2104	Red Hill	20	1S	9E	4400
2109	Still Creek	25	3S	8½E	3670
21028	Switchback	28	1S	9E	3255
2107P	Tilly Jane	15	2S	9E	6000
21021	Ulrich Ranch Junction	28	1S	11E	3350
21030	Umbrella Falls	3	3S	9E	5400
21024	Upper Valley	20	1S	10E	2530

Mile Creeks - Mosier Creek

Number	Name	Sec	Twp	Rge	Elev
2106P	Brooks Meadows	2	2S	10E	4300
21020	Knebal Springs	31	1S	11E	3850
21021	Ulrich Ranch Junction	28	1S	11E	3350

Lower Deschutes River

Number	Name	Sec	Twp	Rge	Elev
21012	Clear Lake	29	4S	9E	3500
21022	Clear Lake Experimental	29	4S	9E	3500
21E6	Hogg Pass	24	13S	7½E	4755

LOWER COLUMBIA WATERSHEDS (7)

Bull Run River

Number	Name	Sec	Twp	Rge	Elev
21033*	Blazed Alder	5	2S	8E	3650

Sandy River

Number	Name	Sec	Twp	Rge	Elev
2108*	Phlox Point	7	3S	9E	5400
2109	Still Creek	25	3S	8½E	3670

WILLAMETTE WATERSHEDS (8)

Clackamas River

Number	Name	Sec	Twp	Rge	Elev
21013	Clackamas Lake	35	5S	8½E	3400
21012	Clear Lake	29	4S	9E	3500
21016	Lake Harriet	4	6S	7E	2045
21014P*	Peavine Ridge	14 & 15	6S	7E	3500
2108*	Phlox Point	7	3S	9E	5400
2109	Still Creek	25	3S	8½E	3670
21017	Timothy Lake	26	5S	8E	3295

Santiam River

Number	Name	Sec	Twp	Rge	Elev
22E1	Detroit (City)	1	10S	5E	1610
22E2	Detroit Dam	7	10S	5E	1500
21E6	Hogg Pass	24	13S	7½E	4755
21E4	Marion Forks	29	11S	7E	2600
22E3	Mill City	29	9S	3E	826
21E5	Santiam Junction	14	13S	7E	3750
21E3	Whitewater Bridge	20	10S	7E	2175

McKenzie River

Number	Name	Sec	Twp	Rge	Elev
21E8	Dead Horse Grade	13	16S	7E	3700
22E4	Lost Creek Ranch	19	16S	7E	1956
21E7	McKenzie	34	15S	7½E	4800
22E5	McKenzie Bridge	13	16S	5E	1372
22E6	Vida	28	16S	2E	800
21E9	White Branch Slide	15	16S	7E	2700

Middle Fork Willamette River

Number	Name	Sec	Twp	Rge	Elev
22F3	Cascade Summit	7	23S	6E	4880
22F8	Lookout Point Dam	13	19S	1W	750
22F6	McCredie Springs	36	21S	4E	2120
22F7	Oakridge	16	21S	3E	1310
22F5	Railroad Overpass	21	22S	5E	2750
22F4	Salt Creek Falls	32	22S	5½E	4000
22F2P	Waldo Lake	15	24S	6E	5600
22F14*	Willamette Pass	33	24S	5½E	5600

Coast Fork Willamette River

Number	Name	Sec	Twp	Rge	Elev
22F9	Champion	12	23S	1E	4500
22F10	Golden Curry Creek	1	23S	1E	3136
22F13	Layng Creek R.S.	31	21S	1E	1200
22F12	Lund Park	22	22S	1E	1740
22F11	Weaver Creek	35	22S	1E	2440

Mary's River

Number	Name	Sec	Twp	Rge	Elev
23E1	Mary's Peak	21	12S	7W	3620

Luckiamute River

Number	Name	Sec	Twp	Rge	Elev
23E2	Laurel Mountain	6	8S	7W	3000
23E3	Valsetz Summit	3	9S	7W	2600

Tualatin River

Number	Name	Sec	Twp	Rge	Elev
2302*	Seine Creek	34	1N	5W	2000
2301*	Saddle Mountain	25	1N	6W	3250

ROGUE, UMPQUA WATERSHEDS (9)

Rogue River

Number	Name	Sec	Twp	Rge	Elev
23G4P	Althouse	17	41S	7W	4530
22G6	Annie Spring	19	31S	6E	6018
22G28	Beaver Dam Creek	1	38S	4E	5100
22G21P	Big Red Mountain	31	40S	1W	6250
22G13P	Billie Creek Divide	30	36S	5E	5300
22G30	Caliban	16	40S	1E	6500
22G27	Deadwood Junction	8	38S	4E	4600
22F19	Diamond-Crater Summit	3	29S	6E	5800
22G14P	Fish Lake	3	37S	4E	4665
22G12	Fourmile Lake	9	36S	5E	6000
23G3	Grayback Peak	9	40S	5W	6000
22G26	Howard Prairie	32	38S	4E	4500
22G16	Hyatt Prairie Reservoir	15	39S	3E	4900
22G22	Little Red Mountain	25	40S	2W	6500
22G31	Mt. Ashland Switchback	15	40S	1E	6400
23G14	Mule Creek	8	32S	9W	3680
23G5	Page Mountain	5	41S	7W	4045
22G5	Park Headquarters	8	31S	6E	6550
22G11	Seven Lakes No. 2	26	33S	5E	6200
22G2	Silver Burn	30	30S	4E	3720
22G20	Siskiyou Summit	17	40S	2E	4630
22G32	Ski Bowl Road	22	40S	1E	6000
22G9	South Fork Canal	12	33S	3E	3500
22G1	Whaleback	4	31S	2E	5025

Umpqua River

Number	Name	Sec	Twp	Rge	Elev
22F9	Champion	12	23S	1E	4500
22F18P	Diamond Lake	29	27S	6E	5315
23G8	King Mountain No. 1	5	33S	4W	4500
23G9	King Mountain No. 2	4	33S	4W	4000
23G10	King Mountain No. 3	33	32S	4W	3648
23G11	King Mountain No. 4	33	32S	4W	3049
23G12	King Mountain No. 5	29 & 28	32S	4W	2380
23G13	King Mountain No. 6	20	32S	4W	1820
22F16	North Umpqua	19	26S	6E	4215
22F23	Red Butte No. 1	36	27S	2W	4560
22F24	Red Butte No. 2	30	27S	1W	4000
22F25	Red Butte No. 3	30	27S	1W	3500
22F26	Red Butte No. 4	30	27S	1W	3000
22F27	Red Butte No. 5	20	27S	1W	2500
22F28	Red Dutte No. 6	17	27S	1W	2000
22F17	Trap Creek	1	27S	4E	3800
22G1	Whaleback	4	31S	2E	5025

KLAMATH WATERSHEDS (10)

Klamath River

Number	Name		Sec	Twp	Rge	Elev
22G6	Annie Spring		19	31S	6E	6018
22G13P	Billie Creek Divide		30	36S	5E	5300
21F11	Chemult		21	27S	8E	4760
22G24*	Cold Springs Camp		12	35S	5E	6100
20G12a	Crazyman Flat		9	34S	15E	6100
20H2a	Crowder Flat	(Cal)	30	47N	11E	5200
22F19	Diamond-Crater Summit		3	29S	6E	5800
21F18	Diamond Lake Jct. (97)		1	29S	7E	4600
21G6a	Dog Hollow		1	40S	14E	4900
20G14a	Finley Corrals		11	36S	16E	6000
22G12	Fourmile Lake		9	36S	5E	6000
21G4P	Gerber		12	39S	13E	4850
22G26	Howard Prairie		32	38S	4E	4500
22G16	Hyatt Prairie Reservoir		15	39S	3E	4900
22G15	Lake of the Woods		11	37S	5E	4960
22G5	Park Headquarters		8	31S	6E	6550
20G6MP	Quartz Mountain		2	38S	16E	5320
22G11	Seven Lakes No. 2		26	33S	5E	6200
22G33	Seven Mile		20	33S	6E	5725
20H1a	State Line	(Cal)	21	48N	11E	5750
20G9AP	Strawberry		4	40S	16E	5760
20G2AP	Summer Rim		23	33S	16E	7100
20G13a	Sycan Flat		25	31S	14E	5500
21G3P	Taylor Butte		21	33S	11E	5100

Pacific Power and Light Company's Snow Stations

Number	Name	Sec	Twp	Rge	Elev
3	Chiloquin (PP&L)	34	34S	7E	4187
4	Crystal (PP&L)	26	34S	6E	4200
5	Fort Klamath (PP&L)	22	33S	7½E	4150
8	Harriman Lodge (PP&L)	3	36S	6E	4200
6	Kirk (PP&L)	1	33S	7E	4533

LAKE COUNTY, GOOSE LAKE WATERSHEDS (11)

Goose Lake

Number	Name		Sec	Twp	Rge	Elev
20G15a	Bear Flat Meadow		27	36S	19E	5900
20G8MP	Camas Creek		5	39S	21E	5720
20G11A	Cox Flat		16	37S	18E	5750
20H2a	Crowder Flat	(Cal)	30	47N	11E	5200
20H3a	Dismal Swamp	(Cal)	31	48N	16E	7200
20G17a	Patton Meadow		28	38S	18E	6800
20G6MP	Quartz Mountain		2	38S	16E	5320
20H1a	State Line	(Cal)	21	48N	11E	5750
20G9AP	Strawberry		4	40S	16E	5760
20G16a	Willow Creek		13	40S	21E	6020

Abert Lake

Number	Name	Sec	Twp	Rge	Elev
20G15a	Bear Flat Meadow	27	36S	19E	5900
20G18ap	Colvin Creek	12	36S	21E	6550
20G11A	Cox Flat	16	37S	18E	5750
20G14a	Finley Corrals	11	36S	16E	6000
20G6MP	Quartz Mountain	2	38S	16E	5320
20G10a	Snerman Valley	15	37S	21E	6600

Summer Lake

Number	Name	Sec	Twp	Rge	Elev
20G2AP	Summer Rim	23	33S	16E	7100

Silver Lake

Number	Name	Sec	Twp	Rge	Elev
21F2P	Silver Creek	25 & 26	29S	13E	4900
20G13a	Sycan Flat	25	31S	14E	5500

Warner Lake

Number	Name		Sec	Twp	Rge	Elev
20G8MP	Camas Creek		5	39S	21E	5720
20H3a	Dismal Swamp	(Cal)	31	48N	16E	7200
19G1a	Hart Mountain		1	36S	25E	6350
20G10a	Sherman Valley		15	37S	21E	6600
20G16a	Willow Creek		13	40S	21E	6020

Guano Lake

Number	Name		Sec	Twp	Rge	Elev
19H1	Bald Mountain	(Nev)	17	45N	21E	6720
19G1a	Hart Mountain		1	36S	25E	6350
19H4a	Little Bally Mt.	(Nev)	8	45N	19E	6600

HARNEY BASIN WATERSHED (12)

Silvies River - Silver Creek

Number	Name	Sec	Twp	Rge	Elev
18F7a	Call Meadows	29	20S	33E	5340
19F2	Delintment Lake	28	19S	26E	5600
19F3	Emigrant Butte	14	21S	27E	5000
18F3P	Idlewild Camp	27	20S	31E	5200
19E9P	Izee Summit	28	16S	29E	5293
18F1	Rock Spring	23	18S	32E	5100
19F1*	Snow Mountain	1	19S	26E	6220
19E7M	Starr Ridge	20	15S	31E	5150
18F4P	Stinking Water	34	21S	34E	4800

Donner Und Blitzen River

Number	Name	Sec	Twp	Rge	Elev
18F6a	Buck Pasture	28	29S	35E	5300
18G2PA	Fish Creek	4	33S	33E	7900
19G1a	Hart Mountain	1	36S	25E	6350
18G1PA	Silvies	35	32S	33E	6900
18G7a	"V" Lake	31	35 S	32½E	6600

Trout and Whitehorse Creeks

Number	Name		Sec	Twp	Rge	Elev
18G6a	Denio Creek		14	41S	34E	6000
18H1	Disaster Peak	(Nev)	8	47N	34E	6500
17G5a	Oregon Canyon		8	40S	40E	6950
18G5a	Trout Creek		10	41S	38E	7800

Harney Lake

Number	Name	Sec	Twp	Rge	Elev
18G8a	Buckskin Lake	25	29S	30E	5200



SNOW COURSES AND RELATED DATA MEASURING SITES
OREGON
1975

U S DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE USDA SCS PORTLAND OREG 1975 M7-0-22026-N

The Following Organizations Cooperate in the Oregon Snow Survey Work

STATE
- Idaho Cooperative Snow Surveys
- Nevada Cooperative Snow Surveys
- Oregon State University
- Oregon State Engineer and Corps of State Watermasters
- Oregon State Highway Engineers
- Soil and Water Conservation Districts of Oregon

COUNTY
- Douglas County Water Resources Survey

FEDERAL
- Department of Agriculture
  - Cooperative Extension Service
  - Forest Service
  - Soil Conservation Service
- Department of Commerce
  - NOAA, National Weather Service
- Department of the Interior
  - Bonneville Power Administration
  - Bureau of Land Management
  - Bureau of Reclamation
  - Fish and Wildlife Service
  - Geological Survey
  - National Park Service
- Department of National Defense
  - Corps of Army Engineers

PUBLIC UTILITIES
- Pacific Power and Light Company
- Portland General Electric Company
- California-Pacific Utilities Company

MUNICIPALITIES
- City of Baker
- City of La Grande
- City of The Dalles
- City of Walla Walla

IRRIGATION DISTRICTS
- Arnold Irrigation District
- Associated Ditch Companies
- Burnt River Irrigation District
- Central Oregon Irrigation District
- East Fork Irrigation District
- Grants Pass Irrigation District
- Hood River Irrigation District
- Jordan Valley Irrigation District
- Juniper Flat Irrigation District
- Lakeview Water Users, Incorporated
- Medford Irrigation District
- Middle Fork Irrigation District
- North Board of Control - Owyhee Project
- North Unit Irrigation District
- Ochoco Irrigation District
- Rogue River Valley Irrigation District
- South Board of Control - Owyhee Project
- Squaw Creek Irrigation District
- Talent Irrigation District
- Tumalo Project
- Vale-Oregon Irrigation District
- Warmsprings Irrigation District

PRIVATE ORGANIZATIONS
- The Crag Rats, Hood River, Oregon

UNITED STATES DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
1218 S.W. WASHINGTON ST.
PORTLAND, OREGON 97205

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, $300

Return this entire sheet to above address, if you do NOT wish to receive this material ☐, or if change of address is needed ☐ (indicate changes in address below, including ZIP code).

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF
AGRICULTURE
AGR-101

U.S. MAIL

FIRST CLASS MAIL

FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

Furnishes the basic data necessary for forecasting water supply for irrigation, domestic and municipal water supply, hydro-electric power generation, navigation, mining and industry

"The Conservation of Water begins with the Snow Survey"

USDA NATIONAL AGRICULTURAL LIBRARY
CURRENT SERIAL RECORD
BELTSVILLE, MARYLAND 20705